INDEX TO VOLUME 44

Journal of Air & Waste Management Association

January - December 1994

Authors Index

A

Acharya, P.
Incineration at Bayou Bonfouca remediation project, 1195

Adams, M.B.
The characterization of ozone exposures in rural West Virginia and Virginia, 1276

Ahlbeck, J.R.
Removal of sulfur dioxide in a fabric filter, 413

Aldrich, J.R.
Expected value estimates of the long-term liability from landfilling hazardous waste, 800

Allen, E.R.
Biofiltration control of hydrogen sulfide 1. Design and operational parameters, 863
Biofiltration control of hydrogen sulfide 2.
Kinetics, biofilter performance, and maintenance, 1315

Aneja, V. P.
Monitoring deposition of nitrogen containing compounds in a high-elevation forest canopy, 1109
Analysis of gaseous hydrogen peroxide concentrations in Raleigh, North Carolina, 176
Workshop on the intercomparison of methodologies for soil NO_x emissions: Summary of discussion and research recommendations, 977

Aulich, T.R.
Gasoline evaporation – ethanol and nonethanol blends, 1004

B

Barkley, N.
Engineered biofilter for removing organic contaminants in air, 299

Batterman, S.A.
An evaluation of commercial hazardous waste thermal destruction capacity, 995

Beaton, S.P.
Enhancements of remote sensing for vehicle emissions in tunnels, 169

Becker, E.
Personal exposure to nitrogen dioxide in the Los Angeles Basin, 39

Belden, R.D.
Lubrication oil reservoir mist elimination, 441

Bell, R. L.
An inversion algorithm for determining area-source emissions from downwind concentration measurements, 1204

Billick, I.H.
Evaluation of NO_2 measurement methods for indoor air quality applications, 163

Billick, I.
Personal exposure to nitrogen dioxide in the Los Angeles Basin, 39

Bishop, G.A.
Enhancements of remote sensing for vehicle emissions in tunnels, 169

Bowman, W. A.
Maximum ground-level concentrations with downwash, 1124

Bulley, M.
White paper: Medical waste disposal, 1176

Butler, J.W.
Effects of in-use driving conditions and vehicle/engine operating parameters on "off-cycle" events: Comparison with federal test procedure conditions, 31

C

Cadle, S.H.
Real-world vehicle emissions: A summary of the fourth annual CRC-APRAC on-road vehicle emissions workshop, 1180

Cao, X.L.
An exposure system for the calibration of passive samplers volatile organic compounds at low (ppbv) concentrations, 1299

Carlock, M.
Real-world vehicle emissions: A summary of the fourth annual CRC-APRAC on-road vehicle emissions workshop, 1180

Carpi, A.
Bioaccumulation of mercury by sphagnum moss near a municipal solid waste incinerator, 669

Carter, W.P.L.
Development of ozone reactivity scales for volatile organic compounds, 881

Cernansky, N. P.
Methodology for modeling the devolatilization of refuse-derived fuel from thermogravimetric analysis of municipal solid waste components, 1116

Chang, D.P.Y.
An inversion algorithm for determining area-source emissions from downwind concentration measurements, 1204

Chen, J. M.
NO_x removal with combined selective catalytic reduction and selective noncatalytic reduction: Pilot-scale test results, 1188

Chow, J.C.
Ammonium nitrate, nitric acid, and ammonia equilibrium in wintertime Phoenix, Arizona, 405

Chow, W.
Highlights of the second international conference on managing hazardous air pollutants, 1391

Cicero-Fernandez, P.
Effects of in-use driving conditions and vehicle/engine operating parameters on "off-cycle" events: Comparison with federal test procedure conditions, 31

Colome, S.
Personal exposure to nitrogen dioxide in the Los Angeles Basin, 39

Connor, K.T.
Use of probabilistic methods to understand the conservatism in

California's approach to assessing the risks posed by air contaminants, 1399

Coon, J.L.
An innovative team oriented approach for identifying and screening remedial alternatives, 295

Copeland, T.L.
Use of probabilistic methods to understand the conservatism in California's approach to assessing the risks posed by air contaminants, 1399

Croes, B.E.
Airshed model evaluation of reactivity adjustment factors calculated with the maximum incremental reactivity scale for transitional-low emission vehicles, 900

Cullen, K.
Real-world vehicle emissions: A summary of the fourth annual CRC-APRAC on-road vehicle emissions workshop, 1180

Cummins, S.B.
Method development for VOST fractionator, 48

D

Damle, A.S.
Modeling a furnace sorbent slurry injection process, 21

Dann, T.F.
Ground-level ozone in eastern Canada: Seasonal variations, trends, and occurrences of high concentrations, 1019

Das, M.
Analysis of gaseous hydrogen peroxide concentrations in Raleigh, North Carolina, 176

Davis, D.D.
Evaluation of vegetation near coal-burning power plants in southwestern Pennsylvania. II. Ozone injury on foliage of hybrid poplar, 760

Davis, D.W.
Air particulates associated with the ash whitefly, 1116

Day, J.F.
Enhancements of remote sensing for vehicle emissions in tunnels, 169

Delumyea, R.D.
Elemental carbon concentration in the air around Tampa Bay, Florida, 1990-1991, 804

Demerjian, K.L.
An inexpensive simple driver for an array of instrumentation systems, 707

Ditz, D.W.
Bioaccumulation of mercury by sphagnum moss near a municipal solid waste incinerator, 669

Dobbins, D.C.
The use of parametric statistics in biological treatability studies, 1226

Drum, D. A.
White paper: Medical waste disposal, 1176

Dudek, H.M.
Closed-loop recovery of site remediation gas phase contaminants, 983

Duncan, J.W.
Enhancements of remote sensing for vehicle emissions in tunnels, 169

E

Edwards, P.J.
The characterization of ozone exposures in rural West Virginia and Virginia, 1276

Ehrenreich, L.
SITE demonstration of the Toronto Harbour commissioners soil recycling project, 727

Eylands, K.E.
An assessment of residues from duct injection demonstration sites, 1214

F

Fisher, P.W.
Comparison of the ISCST model with two alternative U.S. EPA models in complex terrain in Hamilton County, Ohio, 418

Foster, J.A.
Comparison of the ISCST model with two alternative U.S. EPA models in complex terrain in Hamilton County, Ohio, 418

Frank, U.
U.S. Environmental Protection Agency's superfund innovative technology evaluation of pneumatic fracturing extraction, 1219

Friedlander, S. K.
Source resolution of fine particulate polycyclic aromatic hydrocarbons using a receptor model modified for reactivity, 1103

Fritsky, K. J.
Methodology for modeling the devolatilization of refuse-derived fuel from thermogravimetric analysis of municipal solid waste components, 1116

Fuentes, J.D.
Ground-level ozone in eastern Canada: Seasonal variations, trends, and occurrences of high concentrations, 1019

Fukuyama, J.
N_2O emissions at solid waste disposal sites in Osaka City, 1313

G

Gay, Jr., B.W.
Summary of the 1993 EPA/A&WMA international symposium: Measurement of toxic and related air pollutants, 254

Getz, N.P.
How Does Waste-to-Energy "Stack" Up?, 1309

Givens, H.L.
Aluminum smelter roof vent monitoring the Alcan casette method a long-term comparative evaluation with EPA's Method 14, 861

Goidel, E.S.
Assessment of changes in reported TRI releases and transfers between 1989 and 1990, 769

Goldstein, R.A.
The role of whitings in CO_2 circulation and sequestration, 53

Gorse, R. A.
Real-world vehicle emissions: A summary of the fourth annual CRC-APRAC on-road vehicle emissions workshop, 1180

Grasso, D.
Closed-loop recovery of site remediation gas phase contaminants, 983

Greenwood, S.
A method to increase control efficiencies of wet scrubbers for submicron particles and particulate metals, 184

Gregg, R.L.
Engineered biofilter for removing organic contaminants in air, 299
Grisanti, A.A.
Gasoline evaporation – ethanol and nonethanol blends, 1004
Grisinger, J.E.
Development and application of risk analysis methods to stationary sources of carcinogenic emissions for regulatory purposes by the South Coast Air Quality Management District, 145
Groblicki, P.J.
Real-world emissions from a modern production vehicle driven in Los Angeles, 1351
Enhancements of remote sensing for vehicle emissions in tunnels, 169
Groff, P.W.
NO_x removal with combined selective catalytic reduction and selective noncatalytic reduction: Pilot-scale test results, 1188
Grosjean, D.
Thermal decomposition of PAN, PPN and vinyl-PAN, 391
Grosjean, E.
Thermal decomposition of PAN, PPN and vinyl-PAN, 391
Guenther, P.L.
Enhancements of remote sensing for vehicles emissions in tunnels, 169
Gullett, B. K.
NO_x removal with combined selective catalytic reduction and selective noncatalytic reduction: Pilot-scale test results, 1188

H

Haahtela, T.
The South Karelia air pollution study: Relationship of outdoor and indoor concentrations of malodorous sulfur compounds released by pulp mills, 1093
Harrington, W.
Modeling in-use vehicle emissions and the effects of inspection and maintenance programs, 791
Hassett, D.J.
An assessment of residues from duct injection demonstration sites, 1214
He, X.
Gasoline evaporation – ethanol and nonethanol blends, 1004
Herget, W.F.
Validation of a method for estimating pollution emission rates from area sources using open-path FTIR spectroscopy and dispersion modeling techniques, 271
Hering, S.V.
Mie theory evaluation of species contributions to 1990 wintertime visibility reduction in the Grand Canyon, 153
Herrin, G.
Workplace and environmental air contaminant concentrations measured by open path fourier transform infrared spectroscopy: A statistical process control technique to detect changes from normal operating conditions, 673
Hewitt, C.N.
An exposure system for the calibration of passive samplers to volatile organic compounds at low (ppbv) concentrations, 1299
Hilaly, A.K.
Pollution balance: A new methodology for minimizing waste production in manufacturing processes, 1303
Hoag, G.E.
Closed-loop recovery of site remediation gas phase contaminants, 983
Holbrow, A.M.
Use of probabilistic methods to understand the conservatism in California's approach to assessing the risks posed by air contaminants, 1399

I

Ito, H.
N_2O emissions at solid waste disposal sites in Osaka City, 1313
Ives, P.
Incineration at Bayou Bonfouca remediation project, 1195

J

Jayanty, R.K.M
Summary of the 1993 EPA/A&WMA international symposium measurement of toxic and related air pollutants, 254
Jensen, A.G.
An evaluation of commercial hazardous waste thermal destruction capacity, 995
Jesion, G.
Effects of in-use driving conditions and vehicle/engine operating parameters on "off-cycle" events: Comparison with federal test procedure conditions, 31
Johnson, S.M.
1993 Environmental software survey, 79

K

Kao, A.S.
Workplace and environmental air contaminant concentrations measured by open path fourier transform infrared spectroscopy: A statistical process control technique to detect changes from normal operating conditions, 673
Formation and removal reactions of hazardous air pollutants, 683
Kao, L.
Airshed model evaluation of reactivity adjustment factors calculated with the maximum incremental reactivity scale for transitional-low emission vehicles, 900
Kaplan, N.
IAPCS: A computer model that evaluates pollution control systems for utility boilers, 773
Kenny, D.V.
Evaluation of NO_2 measurement methods for indoor air quality applications, 163
Keoleian, G.
Sustainable development by design: Review of life cycle design and related approaches, 645
Kerfoot, H.B.
In situ determination of the rate of unassisted degradation of saturated-zone hydrocarbon contamination, 877
Landfill gas effects on groundwater samples at a municipal solid waste facility, 1293
Kind, K.K.
Preparation of calcium silicate reagent from fly ash and lime in a flow reactor, 869

Kirchgessner, D.A.
Validation of a method for estimating pollution emission rates from area sources using open-path FTIR spectroscopy and dispersion modeling techniques, 271
Knapp, K.T.
Influence of oxygenated fuels on the emissions from three pre-1985 light-duty passenger vehicles, 781
Enhancements of remote sensing for vehicle emissions in tunnels, 169
Real-world vehicle emissions: A summary of the fourth annual CRC-APRAC on-road vehicle emission workshop, 1180
Knudson, C.L.
Gasoline evaporation – ethanol and nonethanol blends, 1004

L

Lamica, R.A.
An inexpensive simple driver for an array of instrumentation systems, 707
Lawson, D.R.
Real-world vehicle emissions: A summary of the fourth annual CRC-APRAC on-road vehicle emissions workshop, 1180
Lefohn, A.S.
The characterization of ozone exposures in rural West Virginia and Virginia, 1276
Ozone descriptors for an air quality standard to protect vegetation, 1383
Lehning, M.
An inversion algorithm for determining area-source emissions from downwind concentration measurements, 1204
Leonard, J.
Elemental carbon concentration in the air around Tampa Bay, Florida, 1990-1991, 804
Leslie, N.P.
Evaluation of NO_2 measurement methods for indoor air quality applications, 163
Leung, D.Y.C.
Effect of moisture on the pollutant concentration measurement, 1224
Levin, L.
Highlights of the second international conference on managing hazardous air pollutants, 1391
Levine, S.P.
Workplace and environmental air contaminant concentrations measured by open path fourier transform infrared spectroscopy: A statistical process control technique to detect changes from normal operating conditions, 673
Lewis, N.M.
1993 update of the U.S. Environmental Protection Agency's SITE emerging technology program, 195
Li, F.S.K.
Effect of moisture on the pollutant concentration measurement, 1224
Li, Y.
Random-effects linear regression meta-analysis models with application to the nitrogen dioxide health effects studies, 261
Lin, M. L.
NO_x removal with combined selective catalytic reduction and selective noncatalytic reduction: Pilot-scale test results, 1188
Lin, X.
Economic impact analysis in U.S. state and local air pollution control agencies: A survey, 134
Lindsey, T.C.
Recovery of an aqueous iron phosphating/degreasing bath by ultrafiltration, 697
Liu, B.Y.H
A method to increase control efficiencies of wet scrubbers for submicron-particles and particulate metals, 184
Liu, P.K.T
Engineered biofilter for removing organic contaminants in air, 299
Lurmann, F.W.
Ammonium nitrate, nitric acid, and ammonia equilibrium in wintertime Phoenix, Arizona, 405

M

Mahmood, R.J.
Soil ingestion by children and adults reconsidered using the results of recent tracer studies, 141
Malachowski, M.S.
Workplace and environmental air contaminant concentrations measured by open path fourier transform infrared spectroscopy: A statistical process control technique to detect changes from normal operating conditions, 673
Marlia, J.C.
Development and application of risk analysis methods to stationary sources of carcinogenic emissions for regulatory purposes by the South Coast Air Quality Management District, 145
Martin, C.E.
An assessment of residues from duct injection demonstration sites, 1214
Marttila, O.
The South Karelia air pollution study: Relationship of outdoor and indoor concentrations of malodorous sulfur compounds released by pulp mills, 1093
Masemore, S.S.
Validation of a method for estimating pollution emission rates from area sources using open-path FTIR spectroscopy and dispersion modeling techniques, 271
Masuda, J.
N_2O emissions at solid waste disposal sites in Osaka City, 1313
McArver, A.Q.
Enhancements of remote sensing for vehicle emissions in tunnels, 169
McConnell, V.
Modeling in-use vehicle emissions and the effects of inspection and maintenance programs, 791
McCool, P.M.
Ozone descriptors for an air quality standard to protect vegetation, 1383
McDonnell, W.F.
U.S. Environmental Protection Agency's ozone epidemiology research program: A strategy for assessing the effects of ambient ozone exposure upon morbidity in exposed populations, 950
McIlvaine, R.W.
Continuous emission monitors – issues and predictions, 16
Air pollution challenges and forecasts, 248

McLaren, S.E.
Enhancements of remote sensing for vehicle emissions in tunnels, 169
McMurry, P.H.
Mie theory evaluation of species contributions to 1990 wintertime visibility reduction in the Grand Canyon, 153
A method to increase control efficiencies of wet scrubbers for submicron particles and particulate metals, 184
McNair, L.A.
Airshed model evaluation of reactivity adjustment factors calculated with the maximum incremental reactivity scale for transitional-low emission vehicles, 900
Menerey, D.
Sustainable development by design: Review of life cycle design and related approaches, 645
Meyers, J.
IAPCS: A computer model that evaluates pollution control systems for utility boilers, 771
Miller, A.A.
Site redundancy in urban ozone monitoring, 1097
Miller, D. L.
Methodology for modeling the devolatilization of refuse-derived fuel from thermogravimetric analysis of municipal solid waste components, 1116
Miller, G.D.
Recovery of an aqueous iron phosphating/degreasing bath by ultrafiltration, 697
Miller, M.
Highlights of the second international conference on managing hazardous air pollutants, 1391
Moss, M.T.
The emissions and dispersion modeling system (EDMS): Its development and application at airports and airbases, 787
Murdoch, R.W.
Laboratory evaluation of gas dilution systems for analyzer calibration and calibration gas analysis, 428
Murthy, A. B.
Monitoring deposition of nitrogen-containing compounds in a high-elevation forest canopy, 1109
Musarra, S.P.
Ammonium nitrate, nitric acid, and ammonia equilibrium in wintertime Phoenix, Arizona, 405
Musselman, R.C.
Ozone descriptors for an air quality standard to protect vegetation, 1383
Myhere, R.
Highlights of the second international conference on managing hazardous air pollutants, 1391

N

Noteboom, T.A.
An innovative team-oriented approach for identifying and screening remedial alternatives, 295

O

Ocker, A.G.
Recovery of an aqueous iron phosphating/degreasing bath by ultrafiltration, 697
Odman, M.T.
Airshed model evaluation of reactivity adjustment factors calculated with the maximum incremental reactivity scale for transitional-low emission vehicles, 900
Oppelt, E.T.
Incineration of hazardous waste: A critical review update, 25
Otani, J.
Use of probabilistic methods to understand the conservatism in California's approach to assessing the risks posed by air contaminants, 1399
Ott, P.W.
Carbon monoxide exposures inside an automobile traveling on an urban arterial highway, 1010

P

Paoletti, D.
Automatic system for three fractions sampling of aerosol particles in outdoor environments, 702
Parker, R.A.
1993 update of the U.S. Environmental Protection Agency's SITE emerging technology program, 195
Paustenbach, D.J.
Use of probabilistic methods to understand the conservatism in California's approach to assessing health risks posed by air contaminants, 1399
Peterson, J.E.
Enhancements of remote sensing for vehicle emissions in tunnels, 169
Pflughoeft-Hassett, D F.
An assessment of residues from duct injection demonstration sites, 1214
Piccot, S.D.
Validation of a method for estimating pollution emission rates from area sources using open-path FTIR spectroscopy and dispersion modeling techniques, 271
Pickett, D.
IAPCS: A computer model that evaluates pollution control systems for utility boilers, 773
Pierson, W.R.
Enhancements of remote sensing for vehicle emissions in tunnels, 169
Polenske, K.R.
Economic impact analysis in U.S. state and local air pollution control agencies: A survey, 134
Powers, T.E.
Random-effects linear regression meta-analysis models with application to the nitrogen dioxide health effects studies, 261

R

Radolovich, G.
Method development for VOST fractionator, 48
Rao, S.T.
Detecting and tracking changes in ozone air quality, 1089
Ray, W.D.
Influence of oxygenated fuels on the emissions from three pre-1985 light-duty passenger vehicles, 781
Richardson, T.L.
SITE demonstration of the Toronto Harbour commissioners soil recycling project, 727
Riley, G.J.
Assessment of changes in reported TRI releases and transfers between 1989 and 1990, 769

Ringler, E.S.
Validation of a method for estimating pollution emission rates from area sources using open-path FTIR spectroscopy and dispersion modeling techniques, 271
Robinson, K.
Economic impact analysis in U.S. state and local air pollution control agencies: A survey, 134
Rochelle, G.T.
Preparation of calcium silicate reagent from fly ash and lime in a flow reactor, 869
Roddy, W.J.
Lubrication oil reservoir mist elimination, 441
Rönnblad, S.
Removal of sulfur dioxide in a fabric filter, 413
Roth, H.D.
Random-effects linear regression meta-analysis models with application to the nitrogen dioxide health effects studies, 261
Roychowdhury, U.K.
An inexpensive simple driver for an array of instrumentation systems, 707
Russell, A.G.
Airshed model evaluation of reactivity adjustment factors calculated with the maximum incremental reactivity scale for transitional-low emission vehicles, 900
Ryan, P.B.
Personal exposure to nitrogen dioxide in the Los Angeles Basin, 39

S

Sabol, H.K.
Engineered biofilter for removing organic contaminants in air, 299
Sager, T.W.
Site redundancy in urban ozone monitoring, 1097
Sample, S.
Continuous emission monitors – issues and predictions, 16
Schilling, K.E.
An innovative team-oriented approach for identifying and screening remedial alternatives, 295
Schirripa Spagnolo, G.
Automatic system for three fractions sampling of aerosol particles in outdoor environments, 702
Schwab, M.
Personal exposure to nitrogen dioxide in the Los Angeles Basin, 39
Schwartz, J.
Continuous emission monitors – issues and predictions, 16
Seaba, J.P.
Opacity reduction using dry hydrated lime injection, 908
Sedman, R.M.
Soil ingestion by children and adults reconsidered using the results of recent tracer studies, 141
Segal, H.M.
The emissions and dispersion modeling system (EDMS): Its development and application at airports and airbases, 787
Shonnard, D. R.
An inversion algorithm for determining area-source emissions from downwind concentration measurements, 1204
Sikdar, S.K.
Pollution balance: A new methodology for minimizing waste production in manufacturing processes, 1303
Silakoski, I.
The South Karelia air pollution study: Relationship of outdoor and indoor concentrations of malodorous sulfur compounds released by pulp mills, 1093
Siudak, P.D.
Influence of oxygenated fuels on the emissions from three pre-1985 light-duty passenger vehicles, 781
Sjödin, Å
On-road emission performance of late-model TWC-cars as measured by remote sensing, 397
Snow, R.F.
Influence of oxygenated fuels on the emissions from three pre-1985 light-duty passenger vehicles, 781
Soderberg, E.
IAPCS: A computer model that evaluates pollution control systems for utility boilers, 773
Spear, R.C.
Workplace and environmental air contaminant concentrations measured by open path fourier transform infrared spectroscopy: A statistical process control technique to detect changes from normal operating conditions, 673
Spengler, J.
Personal exposure to nitrogen dioxide in the Los Angeles Basin, 39
Spicer, C.W.
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479
Evaluation of NO_2 measurement methods for indoor air quality applications, 163
Srinivasan, S.
Validation of a method for estimating pollution emission rates from area sources using open-path FTIR spectroscopy and dispersion modeling techniques, 271
St. Denis, M.J.
Effects of in-use driving conditions and vehicle/engine operating parameters on "off-cycle" events: Comparison with federal test procedure conditions, 31
St. Germaine, M.E.W
Method development for VOST fractionator, 48
Stedman, D.H.
Enhancements of remote sensing for vehicle emissions in tunnel, 169
Stephens, R. D.
Remote sensing data and a potential model of vehicle exhaust emissions, 1284
Stolzenburg, M.R.
Mie theory evaluation of species contributions to 1990 wintertime visibility reduction in the Grand Canyon, 153
Stump, F.D.
Influence of oxygenated fuels on the emissions from three pre-1985 light-duty passenger vehicles, 781
Sudbury, A.
Mapping odor sources from complaint statistics. II. More than one source, 280
Sumner, J.W.
Comparison of the ISCST model with two alternative U.S. EPA models in complex terrain in Hamilton County, Ohio, 418

Sun, J.
A method to increase control efficiencies of wet scrubbers for submicron particles and particulate metals, 184
Suominen, O.
The South Karelia air pollution study: Relationship of outdoor and in door concentrations of malodorous sulfur compounds released by pulp mills, 1093
Switzer, P.
Carbon monoxide exposures inside an automobile traveling on an urban arterial highway, 1010

T

Tsujimoto, Y.
N_2O emissions at solid waste disposal sites in Osaka City, 1313
Turpin, B.J.
Mie theory evaluation of species contributions to 1990 wintertime visibility reduction in the Grand Canyon, 153

V

Vaittinen, H.
The South Karelia air pollution study: Relationship of outdoor and in door concentrations of malodorous sulfur compounds released by pulp mills, 1093
Venkataraman, C.
Source resolution of fine particulate polycyclic aromatic hydrocarbons using a receptor model modified for reactivity, 1103
Viswanath, R.S.
Characteristics of oil field emissions in the vicinity of Tulsa, Oklahoma, 989

W

Ward, G.F.
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479
Evaluation of NO_2 measurement methods for indoor air quality applications, 163
Warren, J.L.
Assessment of changes in reported TRI releases and transfers between 1989 and 1990, 769
Watson, J.G.
Ammonium nitrate, nitric acid, and ammonia equilibrium in wintertime Phoenix, Arizona, 405
Weber, G.F.
An assessment of residues from duct injection demonstration sites, 1214
Weigand, M.A.
An automatic particle sampler with beta gauging, 475
Weinstein, L.H.
Bioaccumulation of mercury by sphagnum moss near a municipal solid waste incinerator, 669
Williams, II, E.L.
Thermal decomposition of PAN, PPN and vinyl-PAN, 391
Willits, N.
Carbon monoxide exposures inside an automobile traveling on an urban arterial highway, 1010
Wilson, A.L.
Personal exposure to nitrogen dioxide in the Los Angeles Basin, 39
Winer, A.M.
Effects of in-use driving conditions and vehicle/engine operating parameters on "off-cycle" events: Comparison with federal test procedure-conditions, 31
Wolf, D.E.
Opacity reduction using dry hydrated lime injection, 908
Wright, R.S.
Laboratory evaluation of gas dilution systems for analyzer calibration and calibration gas analysis, 428

Y

Yang, Y.
Biofiltration control of hydrogen sulfide 1. Design and operational parameters, 863
Biofiltration control of hydrogen sulfide 2. Kinetics, biofilter performance, and maintenance, 1315
Yi, Z.
Workplace and environmental air contaminant concentrations measured by open path fourier transform infrared spectroscopy: A statistical process control technique to detect changes from normal operating conditions, 673
Yost, M.
Workplace and environmental air contaminant concentrations measured by open path fourier transform infrared spectroscopy: A statistical process control technique to detect changes from normal operating conditions, 673

Z

Zhang, Y.
Enhancements of remote sensing for vehicle emissions in tunnels, 169
Zhang, X.
Mie theory evaluation of species contributions to 1990 wintertime visibility reduction in the Grand Canyon, 153
Zurbenko, I.G.
Detecting and tracking changes in ozone air quality, 1089
Zweidinger, R.B.
Enhancements of remote sensing for vehicle emissions in tunnels, 169

Please let us know when you move by providing the information below.

Print your old business address here.
Name _____
Title _____
Affiliation _____
_____
Address _____
_____
City/State/Prov. _____
Country/Postal Code _____

Print your new business address here.
Name _____
Title _____
Affiliation _____
_____
Address _____
_____
City/State/Prov. _____
Country/Postal Code _____

Check here ☐ if you want the Journal mailed to your home and print home address below.

Information above must be included.
Home Address _____
City/State/Prov. _____
Country/Postal Code _____

Mail to Membership Clerk, Air & Waste Management Association, One Gateway Center, Third Floor, Pittsburgh, PA 15222.